

# SportsKraft

Kraftsman Commercial Playgrounds & Water Parks

800-451-4869 | SPORTSKRAFT.COM





# BASKETBALL GAME STANDARDS

## SportsPlay Aluminum Backboard

- The Undisputed Champion!
- Over Half a Million Sold!
- Outstanding Value!
- Guaranteed for Life!

When it comes to outdoor basketball, aluminum is the clear choice.

- Better rebound than steel boards.
- Twice as thick and half the weight of steel
- Maintenance Free
- Rust Free



Heavy Duty 4.5" Bent Post Backstop




Standard 3.5" Bent Post Backstop



**542-600** Aluminum

Official size and shape, with unbroken playing surface. One piece permanent mold cast aluminum alloy backboard. 54" W x 35" H with 1-1/2" deep ribs and edge.

## COMPLETE BENT POST BACKSTOPS



	Description:	Weight:
Heavy Duty 4.5" Outer Diameter Post	541-616 Aluminum Fan	215 lbs.
	541-616M Aluminum Fan with nylon net	215 lbs.
	541-916 Acrylic Rectangle	261 lbs.
	541-951 1' Post Extension	8 lbs.
	541-216 Steel Rectangular-Mini	274 lbs.
541-116 Steel Rectangular-Full	330 lbs.	

Shown with optional border and target. Complete with post, backboard and double strength super goal with steel chain net and 4' extension. Powder coated posts additional charge. Color options shown below.

Steel Mini Board: 54.5" W x 35.5" H, Full Board: 72" W x 48" H

	Description:	Weight:
Standard 3.5" Outer Diameter Post	541-614 Aluminum Fan	145 lbs.
	541-951 1' Post Extension	8 lbs.
	541-514 Steel Rectangular-Mini	204 lbs.

Complete with post, backboard and single rim goal and nylon net and 3' extension. Powder coated posts additional charge. Color options shown below.

Steel Mini Board: 54.5" W x 35.5" H

## SportsPlay Color Options


Post, clamp and accent powder coat colors



## BASKETBALL ALUMINUM BACKBOARDS

Sportsplay guarantees its cast aluminum fan backboards for life when mounted "goal to post." If damaged under normal conditions, return backboard to our St. Louis, Missouri plant freight prepaid for a brand new replacement board, shipped freight collect.

## SportsPlay Super Strong Goal to Post Mounting System



The **RIGHT** way to mount a backboard.

The goal and backboard are bolted together directly to the post forming a solid unit. All forces of "slam dunking" are safely absorbed by the heavy steel post, not the backboard.

The **WRONG** way to mount a backboard.

The goal is mounted only to the backboard and is not supported by the post. The force of "slam dunking" must be resisted by the backboard alone, which can easily bend and shatter.



## SPORTSPLAY GOALS AND NETS



### SUPER GOAL AND NYLON NET

<b>542-973</b>	
Weight:	18 lbs.

Official 18" diameter with 5/8" top and 1/2" bottom steel rings and 1/2" heavy duty braces for greater strength and rigidity than single ring goals. Front mount bracket is 3/16" x 7" wide. Twelve no-tie holders and 120 thread count nylon net.



### SUPER GOAL AND STEEL CHAIN NET

<b>542-972</b>	
Weight:	18 lbs.

Official 18" diameter with 5/8" top and 1/2" bottom steel rings and 1/2" heavy duty braces for greater strength and rigidity than single ring goals. Front mount bracket is 3/16" x 7" wide.



### OFFICIAL GOAL AND NYLON NET

<b>542-917</b>	
Weight:	13 lbs.

Official 18" diameter with 5/8" steel ring and 1/2" heavy duty braces. 3/16" thick x 7" wide front mount bracket. Twelve no-tie holders and 120 thread count nylon net.



# COMPLETE BASKETBALL SYSTEMS



Tandem Six Backstop

## TANDEM SIX BACKSTOP

3.5" OD reinforced with 3.5" OD

	Description:	Weight:
541-636	Aluminum Fan	239 lbs.
541-936	Acrylic Rectangle	285 lbs.

Backboard and goal are mounted with the exclusive "goal to post" system. Complete with backboard and Official Goal and Nylon Net.

## SUPER SEVEN BACKSTOP

4.5" OD reinforced with 3.5" OD

	Description:	Weight:
541-637	Aluminum Fan	268 lbs.
541-937	Acrylic Rectangle	314 lbs.

Complete with backboard and double-strength Super Goal with steel chain net, mounted with SportsPlay's exclusive "goal to post" system. Braces are pictured but not included.



Wall Mounted Backstops


## WALL MOUNTED BACKSTOPS

	Description:	Weight:
531-601	1' Overhang	85 lbs.
531-602	2' Overhang	95 lbs.
531-603	3' Overhang	105 lbs.
531-604	4' Overhang	115 lbs.
531-605	5' Overhang	125 lbs.
531-606	6' Overhang	135 lbs.

Tripod design features "goal to post" mount for maximum strength. Complete with white Lifetime Aluminum Fan backboard, Official Goal and Nylon Net.



542-600 Aluminum



Adjustable Backstop

## 3.5" ADJUSTABLE BACKSTOP

	Description:	Weight:
541-656	Aluminum Fan	145 lbs.

The 3' long extension locks to the pipe anywhere between 0' and 10' with 2 set screws. Complete with pole, adjustable extensions, backboard and 542-917 Official Goal and Nylon Net.

## 4.5" ADJUSTABLE BACKSTOP

	Description:	Weight:
541-657	Aluminum Fan	215 lbs.

Reinforced 4' adjustable extensions mounted on a 13' 6" long, steel post. Complete with white Lifetime Aluminum Fan Backboard and 542-917 Official Goal and Nylon Net.



Reinforced Bent Post Backstop

## REINFORCED BENT POST BACKSTOP

3.5" OD reinforced with 2-3/8" OD

	Description:	Weight:
541-624	Aluminum Fan	153 lbs.
541-924	Acrylic Rectangle	199 lbs.

An extra rigid backstop with 3' extension. Complete with backboard, Official Goal and Nylon Net.


## DOUBLE BASKETBALL BACKSTOP

	Description:	Weight:
541-864	Aluminum Fan 4' ext.	290 lbs.
541-866	Aluminum Fan 6' ext.	315 lbs.

Space saver for center court use. Complete with white Lifetime Aluminum Fan Backboards and 542-917 Official Goals and Nylon Nets.



Double Basketball Backstop





# ADJUSTABLE BASKETBALL SYSTEMS

- 38" x 60" Acrylic Backboard 3/8" thick
- Break away rim
- Adjustable from 7'6" to 10'



Adjustable Basketball Set (Pad not included. Shown with official goal.)



Funball



## COMPLETE BENT POST BACKSTOPS

Heavy Duty 4.5" OD Post

**541-916 (Acrylic Rectangle)**

**Weight: 461 lbs.**

Complete with post, backboard and super goal chain net. Powder coated posts additional charge. Color options shown on page 60.



## WALL MOUNT SET

**532-659 (Wall mount set—4' extension)**

**Weight: 340 lbs.**

Adjusts from 7'-10'

## ADJUSTABLE BASKETBALL SET

**532-933 (Surface mount set)**

**Weight: 450 lbs.**

Pad not included

## FUNBALL

**902-501**

**Ages: 5-12 years**

**Weight: 98 lbs.**

3-1/2" OD post; 30" OD rotomolded polyethylene shell; 10.5" opening for balls; 10' H; ADA version-adjustable height.

## ACCESSIBLE FUNBALL

**902-501H**

**Ages: 5-12 years**

**Weight: 85 lbs.**

3-1/2" OD post; 30" OD rotomolded polyethylene shell; 10.5" opening for balls; 10' H; ADA version-adjustable height.

# BASKETBALL SYSTEM COMPONENTS

### A ALUMINUM FAN

Ships UPS

**542-600 38 lbs.**

### B POLYETHYLENE FAN

**542-500 60 lbs.**

### C STEEL RECTANGLE BACKBOARD

54.5" W x 35.5" H

**542-800 (Mini) 97 lbs.**

72" W x 48" H

**542-900 (Full Size) 153 lbs.**

### D ACRYLIC RECTANGLE

60" W x 38" H

**542-200 93 lbs.**

### E BREAKAWAY GOAL

Heavy Duty Double Rim;  
Ships UPS

**542-976 29 lbs.**

### F PERMA NET

**542-905 1 lb.**

### G REPLACEMENT NETS

Ships UPS

**542-902 (Nylon) 2.7 oz.**

**542-903 (Steel Chain) 1.5 lbs.**

### H PAINTED TARGET AND BORDER ONLY

Aluminum and steel boards

**541-998**

### I BACKBOARD BRACE

Package with 3.5" post;  
Ships UPS

**542-558 15 lbs.**

Package with 4.5" post;  
Ships UPS

**542-668 15 lbs.**

### J ADJUSTABLE MOUNTING BOARD

3.5" post; Ships UPS

**542-353 30 lbs.**

4.5" post; Ships UPS

**542-654 50 lbs.**

## Items Not Shown

### ALUMINUM FAN WITH GOAL AND NET

Ships with Official Goal and Nylon Net 542-917.

**542-617 60 lbs.**

### ACRYLIC RECTANGLE WITH GOAL AND NET



Ships with Official Goal and Nylon Net 542-917.

**542-200G 106 lbs.**

### PAINTED TARGET ONLY

Aluminum boards

**541-999**





## GAME STANDARDS AND TENNIS



Height-adjustable from 8' to 10'

Rollers for easy moving

Portable Adjustable Basketball Game Standard.

### OFFICIAL TENNIS POST

571-106 Galvanized
571-106-C Green Powder Coat
Weight: 82 lbs./pair

3.5" OD. Net reel and net fittings included; meets USLTA standards; Ships UPS.

### TENNIS NET

572-922
Weight: 12 lbs.

3 mm double braid polyethylene netting 42' long; First 5 rows double netting; 2.5" double reinforced headband; 8 rows nylon stitching; 6 mm vinyl coated steel cable. Tape nylon bottom and dowels; Ships UPS.

### NET REEL

572-917
Weight: 6 lbs.

Ships UPS.



### PORTABLE ADJUSTABLE BASKETBALL GAME STANDARD

532-661 Aluminum Fan
Weight: 359 lbs.

30" x 30" base; floor protectors; wheels; adjustable net eyes; 2' extension adjusts from 8' to 10'; includes backboard, official goal and net. Must be anchored to floor using 531-350 wood floor plate or 351-352 concrete floor anchor.

### HEAVY DUTY OUTDOOR VOLLEYBALL NET

572-954
Weight: 10 lbs.

4" mesh 24 thread knotted nylon webbed edges, double treated with black vinyl and reinforcing white vinyl; volleyball net measures 32' x 3'; Ships UPS.

### GROUND SOCKET

	Post OD:	Length:	Weight:
571-202	2-3/8"	2'6"	15 lbs.
571-203	2-7/8"	2'6"	18 lbs.
571-204	3-1/2"	2'6"	21 lbs.
571-205	4-1/2"	4'	33 lbs.

Solid support; quick removal for all game standards. Supplied with neoprene seal safety cap, wrench and limit pin, creating a 6" debris trap; Ships UPS. Sold individually.

### MULTI-PURPOSE GAME STANDARD

571-108 Fixed
Weight: 55 lbs./pair
571-109 Adjustable
Weight: 55 lbs./pair

2-3/8" OD Adjustable net eyes. 10'6" long for use with Ground Sockets.



Fixed

Adjustable

### STANDARD PORTABLE GAME STANDARD

532-330
Dimensions: 24" x 24" x 9"
Weight: 300 lbs./pair

150 lbs. concrete filled base; 8'6" post made of 1-7/8" OD galvanized steel; 2 adjustable double net eyes allow you to change net height with ease.

### HEAVY DUTY PORTABLE GAME STANDARD

532-340
Dimensions: 24" x 24" x 9"
Weight: 600 lbs./pair

300 lbs. concrete filled based; 2-3/8" OD galvanized steel game post adjustable to 10'; 2 adjustable double net eyes allow you to change net height with ease.



### TETHER BALL

572-100
Weight: 2 lbs.

Official 5 ply rubber covered ball; with white nylon cord; Tether Ball color subject to change; Ships UPS.

### TETHER BALL POST

571-110
Weight: 40 lbs.

10' tall; Tether Ball sold separately; not to be used with portable game standard; 24' diameter use zone; 2-3/8" OD.

### TWO PIECE TETHER BALL POST

571-1102
Weight: 40 lbs.


2-3/8" OD; Ships UPS.

## FOOTBALL

### SINGLE POST PITCH FORK FOOTBALL GOAL

561-445
Dimensions: 10' Uprights
Weight: 660 lbs./pair
561-445M
Dimensions: 20' Uprights
Weight: 700 lbs./pair
561-445P (Powder Coated)
Dimensions: 10' Uprights
Weight: 760 lbs./pair
561-445MP (Powder Coated)
Dimensions: 20' Uprights
Weight: 800 lbs./pair

Specify 23'4" or 18'6" Cross bar; single bent 4-1/2" OD galvanized steel support with 5' extension; 3-1/2" OD galvanized steel crossbar; 1-7/8" OD galvanized steel uprights; uprights extend 10' or 20' above crossbar, depending on model.




Single Post Pitch Fork Football Goal

### FOOTBALL GOAL

561-443 (Heavy Duty)
Weight: 600 lbs./pair
561-442 (Standard)
Weight: 500 lbs./pair

3.5" OD galvanized steel support posts and crossbar; 1-7/8" OD galvanized steel uprights; specify 23'4" or 18'6" crossbar.

2-3/8" OD galvanized steel support posts and crossbar; 2-3/8" OD galvanized steel uprights; specify 23'4" or 18'6" crossbar.




Single Post Pitch Fork Football Goal

### COMBO FOOTBALL SOCCER GOAL

561-451 (Goal and Supports)
Weight: 760 lbs./pair
561-449 (Goal Only)
Weight: 650 lbs./pair
561-450 (Net Supports Only)
Weight: 100 lbs./pair

Specify 23'4" or 18'6" Cross bar; 2 7/8"; OD main frame; bottom opening is 8' x 24'; 2-3/8" OD uprights; 1-7/8" OD crossbars; 1-7/8" OD Net Supports; Net attachments are welded to lower frame; soccer net not included.



Combo Football Soccer Goal



# BASEBALL

## SportsPlay Baseball Backstops

- Prefabricated sports panels cut installation costs in half
- Panels can be replaced or rescreened individually
- Easy to install
- 2-3/8" OD pipe frames
- Replaceable in the event of vandalism

## PORTABLE BASEBALL BACKSTOP

<b>552-410</b>	
Weight:	640 lbs.
<b>552-411 (With Hood)</b>	
Weight:	725 lbs.

Use with 552-151 transporter listed below.

## BACKSTOP TRANSPORTER

<b>552-151</b>	
Weight:	70 lbs.

Easily transports SportsPlay portable backstop.

## PROTECTIVE SCREENS

<b>551-105</b>	
Weight:	180 lbs.

Protective dugouts; includes two sports panels and three 2-3/8" OD support posts. 20' x 5'3".

## SPORTS PANELS

<b>552-351 (11 Gauge Wire)</b>	
Weight:	64 lbs.
<b>552-355 (9 Gauge Wire)</b>	
Weight:	74 lbs.

Pre-assembled 5'3" x 9'7" panel; 1" OD frame with center reinforced brace; 11 gauge or 9 gauge wire fastened with 3/8" aluminum rods stainless steel clamps.



Easy to install


Portable Baseball Backstop



551-528

## FOUL POLES

<b>551-527 (10' Without Wing)</b>	
Weight:	200 lbs./pair
<b>551-526 (20' Without Wing)</b>	
Weight:	350 lbs./pair
<b>551-528 (20' With Wing)</b>	
Weight:	580 lbs./pair



Sports Panels




Protective Screens

## BASEBALL BACKSTOP PREFABRICATED PANELS

	Center Panels:	Weight	5' Hood:	45" Wings:
<b>551-110</b>	10' W x 10'7" H	195	N/A	N/A
<b>551-410</b>	10' W x 10'7" H	480	N/A	2 (10')
<b>551-411</b>	10' W x 10'7" H	640	1	2 (10')
<b>551-420</b>	20' W x 10'7" H	650	N/A	2 (10')
<b>551-421</b>	20' W x 10'7" H	840	1	2 (10')
<b>551-510</b>	10' W x 15' 11" H	730	N/A	2 (10')
<b>551-511</b>	10' W x 15' 11" H	850	1	2 (10')
<b>551-210</b>	10' W x 10' 7" H	325	N/A	2 (5'3")
Additional backstop sizes not shown				
<b>551-520</b>	20' W x 15' 11" H	940	N/A	2 (10')
<b>551-521</b>	20' W x 15' 11" H	1,140	1	2 (10')
Extra Heavy Duty 9 gauge wire				
<b>551-522</b>	20' W x 15' 11" H	1,200	1	2 (10')



All Backstops products available with black vinyl coating. Call for pricing.



551-411



551-521



# SOCCER

Our soccer goal features a white powder coated finish and is manufactured to meet the requirements of today's competitive soccer specifications.



Official Steel Soccer Goal

Meets all official standards



Portable Steel Soccer Goal

## PORTABLE STEEL SOCCER GOAL

**562-501**  
Weight: 600 lbs./pair

2" x 4" welded steel main frame, powder coated white; net attachments are welded to the rear of goal at 12" intervals; 1-7/8" OD rear supports; hardware and four anchors for positioning goal are included; nets not included.

## SOCCER NET


**562-930 (Pair)**  
Dimensions: 24' W x 8' H x 10' D  
Weight: 16 lbs./pair

Orange 5" square mesh, 3 mm polyethylene; Ships UPS.

## OFFICIAL STEEL SOCCER GOAL

**561-501**  
Weight: 530 lbs./pair

2" x 4" welded steel main frame, powder coated white; Net attachments are welded to the rear of goal at 12" intervals; 1-7/8" OD rear supports; nets not included.



## 12' JR SOCCER GOAL

**561-505**  
Weight: 280 lbs./pair

2-3/8" OD galvanized steel pipe; can be used with ground sockets to make portable units; nets not included.

## NET FOR 12' JR SOCCER GOAL

**562-931**  
Weight: 15 lbs./pair

Nylon vinyl with taped edges, weather resistant; Ships UPS.

## 24' JR SOCCER GOAL



**561-505-24**  
Weight: 330 lbs./pair

Can be used with ground sockets to make portable units; nets not included.

## NET FOR 24' JR SOCCER GOAL

**562-930**  
Weight: 16 lbs./pair

Nylon vinyl with taped edges, weather resistant; Ships UPS.



Jr Soccer Goal

# LACROSSE



Lacrosse Goal and Net—Side View



Lacrosse Goal and Net—Front View

## LACROSSE GOAL AND NET

**561-605 (Permanent)**  
**562-605 (Portable)**  
Dimensions: 6' W x 6' H x 7' D  
Regulation size  
Weight: 85 lbs.

## REPLACEMENT NETS

**562-934**  
Weight: 15 lbs.

3 mm. Braided nylon.

# TERMS AND CONDITIONS

**MINIMUM ORDER:** All orders must exceed \$30.00 net in merchandise. Orders for less than \$30.00 will be subject to a \$10.00 handling charge.

**PRICES:** Prices exclude shipping & handling. Prices are subject to change without notice.

**RECEIPT OF SHIPMENT/CUSTOMER RESPONSIBILITY:** Before signing for your order, check to see that you are receiving the same number of cartons, bundles, welded frames, etc., indicated on your receipt. Note any shortages or visible damage on your receipt and have the driver note these also. Damage that is found after you unpack the shipment (concealed damage) must be reported to SportsPlay™ Customer Service immediately. Please closely inspect your shipment! Most freight companies allow 10 days from receipt to report concealed damage. NOTE: If you discover damage of any kind, DO NOT DESTROY ANY ORIGINAL SHIPPING CARTONS. All SportsPlay merchandise is shipped unassembled unless otherwise specified in the catalog.

**TAXES:** Taxes may be added to an invoice unless a satisfactory resale certificate or tax exempt certificate is provided.

**TERMS:** All invoices are due and payable 30 days from the invoice date. We do not ship COD.

**FREIGHT CLAIMS:** Customers, upon delivery, are expected to check products against packing list and sign the order short otherwise claims will not be honored. SportsPlay will not honor freight claims on concealed damage 14 days past delivery date.

**RETURNS AND EXCHANGES:** Returns will not be accepted without prior written authorization from SportsPlay. Restocking charges and all freight charges may apply. Absolutely no returns will be authorized on equipment which has been installed or equipment which has been in storage for more than 90 days. Returns on any items in an unusable condition subject to a 50% cancellation fee.

**CANCELLATION OF ORDERS:** Orders cancelled with SportsPlay after any customer work has been done or after they have been loaded on the trailer are subject to a 10% cancellation fee. Cancellation of any *custom* orders subject to a 50% cancellation fee.

**INSTALLATION:** All products delivered knocked down (not assembled) unless otherwise noted. Detailed assembly instructions and a packing list are included in the hardware bag(s) of your shipment and should be carefully checked against the order immediately.

**CATALOG ERRORS & PRODUCT CHANGES:** Due to the possibility of typographical errors in this catalog, as well as fluctuations in raw material costs, prices and descriptions are subject to change without notice. SportsPlay reserves the right to change product specifications or colors at any time without incurring obligations. Pictures may not reflect changes made to meet new CPSC guidelines.

**SHIPPING & HANDLING CHARGES:** All shipments are F.O.B. origin, and shipping and handling is not included in the price. Freight charges include normal tail gate delivery within the continental United States. (Additional charges will be added for shipments out of the continental U.S.) "Inside Delivery" requests must be specified on the order. There are additional charges for "Inside Delivery," "Residential" and "Call Before Delivery." Please call for an estimate on these charges.

## ***Lifetime\* Warranty is offered on the following:***

Aluminum Domes • Aluminum Rings • Spring Rider Aluminum Ponies • Cast Aluminum Backboards

Metal Modular Units/Components:

***Limited Lifetime\* Warranty:*** Steel Support posts • Aluminum clamps

***Limited 15-year Warranty:*** Main support materials • Decks

***Limited 10-year Warranty:*** Plastic components

***Limited 3-year Warranty:*** Fun Center polyethylene and plastic components

***Limited 1-year Warranty:*** All products not listed above.

\*Lifetime warranty pertains to the life of the equipment. The LIFETIME warranty for Aluminum Fan Backboards only applies to aluminum fan backboards in which the goal is mounted directly to the post as recommended by the manufacturer and installed per manufacturers instructions. The warranty will be voided for all backboards not installed per these requirements. Use of any other attachment method will void all warranties written, expressed or implied. If any of these products are damaged under normal use conditions, return the broken parts to SportsPlay Equipment, Inc. at their Park Hills, Missouri plant. SportsPlay will send you a brand-new replacement part. You pay only the return and outbound freight. Repair/Replacement orders for warranted products will be for the component part only. (Not the entire product.) Contact your SportsPlay distributor for a return authorization.

Warranties apply to structural failure caused by defective materials or defective workmanship, and with normal use and proper maintenance and installation. Damages from misuse, vandalism, lack of maintenance, improper installation, unauthorized repairs or modifications, acts of God or acts beyond SportsPlay's control, or cosmetic issues such as scratches, dents or fading of colors, are not covered by the warranty, nor does the warranty cover the cost of freight or labor for removal and installation of repaired or replacement parts. Warranties are limited to repair or replacement of defective parts. A repaired or replacement part is covered only for the original warranty period. All warranties begin on the delivery date of the goods. Warranties are non-transferable and only apply to end users who purchase new products directly from SportsPlay or an authorized SportsPlay distributor for personal or business use and not for purpose of re-distribution or re-sale.

**NO OTHER WARRANTIES APPLY. SPORTSPLEY EXPRESSLY DISCLAIMS ALL OTHER WARRANTIES, WHETHER EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. THE ABOVE WARRANTIES EXCLUDE ANY LIABILITY OTHER THAN AS EXPRESSLY STATED INCLUDING, BUT NOT LIMITED TO, ANY INDIRECT, SPECIAL, INCIDENTAL, CONSEQUENTIAL OR PUNITIVE DAMAGES.**





# SportsKraft

Kraftsman Commercial Playgrounds & Water Parks

800-451-4869  
SPORTSKRAFT.COM

19535 Haude Rd.  
Spring, TX 77388